

International Journal of PHYSICAL EDUCATION, FITNESS AND SPOR



Received 4th December 2018 Accepted 22nd March 2019

www.ijpefs.com

Effect of Awris Traditional Dances on Health Related Physical Fitness Traits among High School Students in Ethiopia

Mulay Gebretensay ^{a,*}, Soumitra Mondal ^a, D. Mathivanan ^a, Mahmud Abdulkader ^b, Kedir Mohamedhusien ^c

^a Department of Sport Science, College of Natural and computational Sciences, Mekelle University, Mekelle, Ethiopia.

^b Institute of Medical Microbiology & Immunology, College of Medical science, Mekelle University, Mekelle, Ethiopia.

^c Department of Statistics, College of Natural and computational Sciences, Mekelle University, Mekelle, Ethiopia.

*Corresponding Author: Ph: + 90 5462782025; Email: <u>mulay_atahan@yahoo.com</u>

Abstract: The purpose of this study was to evaluate the effect of Awris traditional dance Tigray regional state on health related physical fitness traits among high school students. To achieve the purpose of this study, 40 high school students were selected randomly. And their age ranged between 15 and 17 years. The selected participants were categorized into experimental and control group with twenty (n=20) subjects in each. The experimental group performed traditional dances for a period of 16 weeks three days per week whereas participants in the control group were informed to follow their usual daily activity. All participants were tested on selected criterion measures on muscular strength, flexibility, cardiovascular endurance and body composition prior to and after the 16 weeks of the training period. The data pertaining to the variables in this study were statistically examined by using SPSS statistical software version 25. Descriptive statistics such as mean and standard deviation were found in order to get the basic idea of the data distribution. Independent t- test was employed for finding whether there was any statistically significant pre-test to post-test mean differences in their respective variables of each group. Level of significant was set at 0.05. Following the 16-weeks traditional dance training, significant change was observed on muscular strength and cardiovascular endurance, but there was no significant improvement in flexibility and body composition as compare the experimental groups with the control group. Therefore it can be concluded that Awris traditional dance training program can notably improve muscular strength and cardiovascular endurance of high school students.

Key Words: Awris, physical fitness, traditional dance.

1. Introduction

The health related physical fitness of high school students tends to constantly decline around the world due to inactive life style. Therefore, it is important to improve their physical fitness level during high school period. Tigray traditional dance played using all forms and combinations of stamping, jumping, skipping, shaking, turning and twisting may be one of the approachable systems to achieve the target of fitness level of high school students. As several studies have proved that, the human body can

be strengthened by physical activity and can also be impaired by physical inactivity [1]. Therefore, as an aerobic exercise, Traditional dance brings well known benefits in improving the health related components of physical fitness. Dance as a form of exercise is suitable for all ages as it seems to have a particular beneficial effect on physical health [2]. Dance helps participants develop physical fitness and thus shares many of the health benefits of other sporting events [3]. Folk dance training can significantly improve the physical fitness level of per-Scholl children [4].

Furthermore Chinese Traditional dance training can Awris Traditional dances of Tigray regional state on improve flexibility, cardiorespiratory endurance, and health related physical fitness traits among high muscle strength of college level students [5] and [6]. school students Tigray region. Dance can increase people's physical fitness, strength and abilities, often more effectively than other forms increase people's motivation of exercise, to participate in physical activity and maintain that participation, because they see dance as fun, expressive, non-competitive and sociable [7].

Dance is a popular recreational activity for people and can contribute to the physical health and wellness of an individual [8], As there is growing concern over the effects of the sedentary lifestyle on the health of young people [9], physical activity via behavior such as dancing should be encouraged. However, it is seldom used as an intervention to increase physical activity even among studies advocating culturally-specific interventions [10]. As a result, empirical data about a culturally-specific dance intervention to generate health benefits and reduce health disparities common in sedentary African American women is paramount [11].

Traditional dance is one of the most common types of aerobic exercise practices in the world. Presently, dance is a popular activity, performed by small groups of all ages. Music with slow or fast rhythm tempos helps to control and pace the movement of selected body segments, allowing for an overall body workout. As with other forms of aerobic exercise, dance performed within a target heart rate of between 60% to 80% of the maximal heart rate (MHR) has demonstrated cardiovascular and metabolic benefits such as increased maximal oxygen consumption (VO₂max), improved aerobic endurance capacity, decreased percent fat and increased energy production via the mitochondrial respiration system [12]. On the base of above mentioned research reports, researchers are pursuit on the consequence of Traditional dances of Tigray regional state on health related physical fitness traits.

Tigray regional state has different Traditional dances. Each Traditional dances has a very unique step and rhythm with a unique form of movement [13] and [14] By considering the above facts researchers objective of this study is to investigate the effect of

2. Methodology

The purpose of this study was to evaluate the effect of Traditional dances of Tigray regional state on health related physical fitness traits namely muscular strength, flexibility, cardiovascular endurance and body composition among high school students. To achieve the purpose of this study, 100 grades nine and ten students were selected randomly. The age of the subjects ranged between 15 and 17 years. The selected subjects were divided into experimental group and control group with twenty subjects in each (n=20). group The experimental performed Traditional dances for a period of 16 weeks three days per week whereas participants in the control group were informed to maintain their original activity habit. The criterion measure of muscular strength was measured by sit-up, flexibility by shoulder flexibility test, cardiovascular endurance by 1000m for boys and 800m for girls and body composition by BMI prior to and after the 16 weeks of the traditional dance training period. The data pertaining to the variables in this study were statistically examined by using SPSS statistical software version 25. Descriptive statistics such as mean and standard deviation were found in order to get the basic idea of the data distribution. Independent t- test was employed for finding whether there was any statistically significant pre-test to posttest mean differences in their respective variables of each group. Level of significant was set at 0.05

3. Results

The following table illustrates the statistical results as an effect of Awris traditional dances of Tigray regional state on muscular strength, flexibility, cardiovascular endurance and body composition among high school students.

Mulay Gebretensay et al/2019

Variables	Test	Experimental		Control		t-value
		Mean	SD	Mean	SD	
Muscular strength	Pre-test	16.00	4.75	13.55	3.87	1.789
	Post-test	19.10	4.53	13.70	4.09	3.956*
Flexibility	Pre-test	35.10	10.03	28.35	14.27	1.731
	Post-test	31.05	9.26	28.05	14.42	0.783
Cardiovascular endurance	Pre-test	2.83	18.92	2.78	35.21	0.541
	Post-test	2.37	33.68	2.67	34.41	2.865*
	Pre-test	18.33	2.78	18.61	2.92	0.316
Body Composition	Post-test	17.29	2.59	18.51	2.82	1.422

Table 1: Computation of t-test between pre and post- test means of muscular strength, flexibility, cardiovascular endurance and body composition of experimental and control groups.

* F (0.05) (1, 38) = 2.02 *Significant at 0.05 level of confidence.




Figure 1: mean score difference of pre post- test of experimental group and pre post- test of control group

It is evident from table 1 that, the traditional **4. Discussion** dance treatment groups had shown significant improvement in muscular strength and cardiovascular endurance whereas no significant change were observed in flexibility and body composition when compared with a control group after underwent sixteen weeks traditional dance training program.

Today the health problems that were common a century ago do not exist. They are replaced by conditions associated with hypokinetic diseases such as high blood pressure, obesity, coronary heart disease and so on [12]. So to prevent such conditions and have healthy life style fitness is a key factor. To achieve this healthy life style, humans perform variety

Mulay Gebretensay et al/2019

of activity such as morning or evening walk, References performing gym activities, swimming clubs, martial arts, re creational clubs and so on, and as a result one has to spend lots of money. Out of infinite options, traditional dance is also an approachable system to achieve the target of fitness [15]. The present research finding also proved that, the sixteen weeks Traditional dance training program significantly improve the health related physical fitness traits namely muscular strength and cardiovascular endurance of high school students. However no significant difference was observed in flexibility and body composition.

The above result was in agreement with the following studies conducted by [16] proved that Korean traditional dance program improved the [4] health related fitness of Korean elderly female. [4] proved that, folk dance training significantly improved children"s physical fitness development. As [17] proved that, traditional Greek dance significantly [5] improve muscular strength and lower limb endurance. More ever [18] reveal that, aerobic dance without dietary control, does not alter body composition in sedentary middle aged women. The Go Research Project commissioned by a Dance consortium of dance organization examine the impact [6] of 12 weeks dance course training and consequently found a positive impact on the healthy lives of boys and girls. Other results from this study indicate that, participating in a dance project during school time can inspire positive behavior and change in terms of physical activity levels.

5. Conclusion

It was concluded from the results of the study that, the Traditional dance treatment groups had shown significant improvement in health related physical fitness traits namely muscular strength and cardiovascular endurance whereas no significant change were observed in flexibility and body composition when compared with a control group after underwent sixteen weeks traditional dance training program.

- [1] L. Almond, (2010) The place of Physical Education, London: Kogan.
- [2] Georgios Lykesas, G. Ioannis, Theocharidou Olga, C. Dimiitris, K. Maria, The Effect of a Traditional Dance Program on Health-Related Quality of Life as Perceived by Primary School Students, Journal of Education and Training Studies, 6 (2017) 96-103.
- [3] E. Nhamo, S. Magonde, Dance as a viable alternative to sport: Effects of traditional dances on the health and fitness of Zimbabwean women, Journal of Sports and Physical Education, 1 (2013) 20-28.
 - K. Biber, The Effects of Folk Dance Training on 5- 6 Years Children's Physical and Social Development, Journal of Education and Training Studies, 4 (2016) 213-226.
- S.M. Nordin, C. Hardy, (2009) Dance 4 Health: A research-based evaluation of the impact of seven community dance projects on physical health, psychological wellbeing and aspects of social inclusion, Warwickshire: County Arts Service.
- M. Li, Q. Fang, J. Li, X. Zheng, J. Tao, X. Yan, Q. Lin, X. Lan, B. Chen, G. Zheng, L. Chen, The Effect of Chinese Traditional Exercise-Baduanjin on Physical and Psychological Well-Being of College Students: A Randomized Controlled Trial, PLoS One, 10 (2015) e0130544.
- [7] J.K. Strassel, D.C. Cherkin, L. Steuten, K.J. Sherman, H.J. Vrijhoef, A systematic review of the evidence for the effectiveness of dance therapy, Alternative Therapies In Health And Medicine, 17 (2011) 50-59.
- S. Gardner, P. Komesaroff, R. Fensham, Dancing [8] beyond exercise: young people's experiences in dance classes, Journal of Youth Studies, 11 (2008) 701-709.
- [9] Stuart J.H. Biddle, G. Trish, D. J Stensel, Healthenhancing physical activity and behaviour in children and adolescents, Journal of Sports Sciences, 22 (2004) 679-701.
- [10] Madelyn Farr MA, The role of dance/movement therapy in treating at-risk African American adolescents, The Arts in Psychotherapy, 24 (1997)183-191.

- [11] C. J. Murrock, F. A. Gary, Culturally Specific [16] S.M. Kim, H.J. Park, B. Min, W.Y. So, Effects of a Dance to Reduce Obesity in African American Women, *Health Promotion Practice*, 11 (2010) 465-473.
- [12] American College of Sports Medicine Position adults, Medicine and Science in Sports and Exercise, 30 (1998) 992-1008.
- [13] G. Martin, (2018), Dance type in Ethiopia, *Ournal* of the International Folk Music Council, 19 (1967) 23-27.
- [14] T. Teffera, (2006) The role of traditional music [18] D.D. Belle, Effect of aerobic dance on physical ampng east Africa society: The case of selected proceedings Aerophones in the 6th International on meeting folk musical instruments, Martin Luther University Hallwittenberg, Germany.
- [15] M.G. Tensay, S.S. Hassrani, S. Mukherjee, Effect of Different Traditional Dances of Tigray Region On Selected Physical Fitness Triad On Collegiate Youths, International Journal of Innovation Sciences and Research, 4 (2015) 129-138.

- Korean Traditional Dance Program on Healthrelated Fitness and Blood Lipid Profiles in Korean Elderly Females, Iranian Journal of Public Health, 47 (2018) 127-129.
- stand: Exercise and physical activity for older [17] Z. Vordos, E. Kouidi, F. Mavrovouniotis, T. Metaxas , E. Dimitros, A. Kaltsatou, A. Deligiannis, Impact of traditional Greek dancing on jumping ability, muscular strength and lower limb endurance in cardiac rehabilitation programmes, 16 (2017) 150-156.
 - work capacity, cardiovascular function and body composition of middle aged women, Dissertation Abstract International, 43 (1983) 3535.

Conflict of interest statement

The authors declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article

Acknowledgement

The researchers wish to acknowledge the Department of Sport Science, college Natural and computational Sciences, Mekelle University for the support and approval to carry out the study. We also appreciate the enthusiasm and co-operation of the participants

Competing Interests: The author declares to have no competing interests

About The License



The text of this article is licensed under a Creative Commons Attribution 4.0 International License