

Full Length Article

Beach Soccer: Analysis of the Goals Scored and its Relation to the Game Physiology

Received 22nd January 2016,
Accepted 06th February 2016

www.ijpefs.com

DOI:10.26524/1613

Werlayne S. S. Leite^{a,b*}

^aSecretariat of Education of the State of Ceará - SEDUC, Fortaleza, Brazil

^bSecretariat of Education of Fortaleza - SME, Fortaleza, Brazil

Corresponding Author : Ph: (85) 3101-3897; E mail: werlaynestuart@yahoo.com

Abstract: The beach soccer is currently one of the fastest developing sports in the world. It is characterized as a modality of intermittent character of high intensity, requiring high demand of energy and of the anaerobic system with intensities above 90% of maximum heart rate. The objective of this study is: (i) to analyze and quantify in absolute and percentage terms, the incidence of goals in Beach Soccer FIFA World Cups matches, checking in which periods of games the goals happen; (ii) to identify the team that scored the first goal of the game and check the final result obtained by this team: win, draw or defeat; (iii) to relate the results to the physical performance, technical, tactical and psychological. We analyzed all the matches in 5 Beach Soccer World Cup organized by the Fédération Internationale de Football Association (FIFA), totaling 148 matches. The data were collected at the FIFA website database through the official summaries of the games. According to the data of the goals timing, it was found that most of the goals (37.21%) are scored in the last period of games. Regarding the influence of the first goal for the final result of the match, the team that scores the first goal of the game features average probability of winning approximately 60%. Thus, it is suggested that the higher incidence of goals in the 3rd period of the games is associated mainly to the interaction of physical and psychological factors. Regarding the influence of the first goal for the final result, it is believed that the psychological aspect appears to interfere with greater relevance.

Keywords: Psychological Goal, FIFA World Championships, Goal timing, Collective sports.

Introduction

The overall prevalence of overweight and obese children in southern Taiwan is higher than in other Asian countries. The beach soccer is a relatively new sport, having its beginning in the 90s. In 2005, the beach soccer was managed and organized by the Fédération Internationale de Football Association - FIFA, which has already spread it to at least 170 of the 207 national associations that constitute the FIFA federation, becoming so, a sport of high performance [1]. For Escobar et al. (2011), although less popular than other sports, beach soccer has been gaining attention in the sports scene, being currently one of the fastest developing sports in the world (FIFA) [2].

This sport has very specific characteristics (compared to soccer and futsal), as the dimensions of the field; the type of field in which it is practiced; the number of athletes, which has five players on each

team, when one of those must be the goalkeeper; the playing time is divided into three periods of 12 minutes with 3-minute intervals between the periods; substitutions are unlimited, allowing the game to be maintained at a high rate.

The beach soccer is a team sport that requires from its players varied physical valences due to the demands of its own sports modality and the kind of field in which it is practiced [2-3-4]. In this sense, it is characterized as a modality of intermittent character of high intensity that requires high demand of energy and of the anaerobic system with intensities above 90% of maximum heart rate.

In beach soccer, sand floor privileges air moves, which also requires great skill of the players (Fazolo et al., 2005), making it very exciting due to its beautiful acrobatic moves which make it a high-

impact, attractive, and of course popular sport [5-6]. The beach soccer is a synonymous of spectacle, excitement and goals. According to statistics of FIFA, the world championships held until now recorded an average of over eight goals per game [7]. The goal is the aim and, consequently, the most important aspect of the game (Fukuda & Santana, 2012), it determines the procedures that lead to the goal, and therefore the imbalance on the scoreboard supposed to find some of the keys of the game, as it allows to identify the most effective forms of attack, and, conversely, provide insight to better defensive organization [8-9].

The aim of this study was: i) to analyze and quantify, in absolute and percentage terms, the incidence of goals in matches of Beach Soccer FIFA World Cups; verifying in which periods of the matches goals happen, over total time of the game; ii) to identify the team that scored the first goal of the match and to verify the final result obtained by this team: win, draw or defeat; thus, identifying what is the probability of a team that scores the first goal of the match to be victorious; iii) to relate the obtained results to physical, technical, tactical and psychological performance.

Despite the increasing worldwide popularity of Beach Soccer, played either at amateur and professional level, few scientific studies focused on this sport, leaving open several questions about its performance profile [6-10-11]. Escobar et al. (2011) states that it has been noticed the lack of specific literature, especially in relation to data on training prescription and physical, technical, tactical and psychological aspects due to the environment where the beach soccer is played. The basis of the characteristics involved in the sport as the predominant pathways, the anthropometric profile, the biomechanical among others are essential for the structuring of training aiming high levels of athletic preparation [2].

Thus, this research is justified due to allow the expansion of expertise and contribute to the development of this sport, allowing also to know the way of goals, competition characteristics and provide references for training and competition in beach soccer [12].

Material and Methods

Sample

We analyzed all the matches in 5 Beach Soccer FIFA Worlds Cups organized by Fédération Internationale de Football Association – FIFA. World Cup 2013 (n=32); World Cup 2011 (n=32); World Cup 2009 (n=32); World Cup 2006 (n=32); World Cup 2005 (n=20); totalizing 148 matches in 5 tournaments. World Cup matches of 2008 and 2007 were not included in the study because there are no data for all

the games of these tournaments.

The data were obtained from the database of the website of the (FIFA) through official overviews of the matches. We collected quantitative data, which are related to the times the goals were scored in the course of the matches. Castellano et al. (2012) established the reliability of the FIFA match statistics by randomly coding five matches and compared with the FIFA website data. The resulting values using Cohen's Kappa (K) were between 0.93 and 0.97. This establishes a high reliability index for the FIFA website data [13].

Variables

For the study, we used the following variable:

1. Average goals per game and obtained by competition;
2. Division of match in periods of time: 1st-12th min.; 13th-24th min.; 25th-36th min.; and extra time (37th-40th min.);
3. The relationship between scoring the first goal of the match and the final result obtained by the same team, using the variables: Victory, Draw and Defeat.

For this variable we analyzed as it is described in studies developed by Leite and Barreira (2014), Barreira et al. (2014) and Machado et al. (2014), only the goals scored during regular time of the match were considered, 3 periods of 12 minutes [14-15-16].

Data analysis

All data were analyzed using the statistical package for PC SPSS 20.0. (Lead Technologies Inc, USA). Non parametric chi-square (χ^2) analysis was used to determine the statistically significant differences and the level of significance was set at $p < 0.05$.

Results




Figure 1. Evolution of average goals per game in the Beach Soccer FIFA World Cups between 2005 and 2013[14].

Figure 1 shows that the beach soccer in the eight years period considered, there is a reduction in the average number of goals per game since the World Cup FIFA Brazil 2005 were scored 8.2 goals

per game while in Tahiti in 2013 were scored 7.6 goals per game, i.e. less of 0.6 goals per game. However, the overall average of competitions, beach soccer still has an average of over eight goals per game.

The table 1 shows the time distribution of goals scored in Beach Soccer World Cups, divided by

Table 1. Distribution of goals scored in Beach Soccer FIFA World Cups, divided by periods of game.

	World Cup 2005	World Cup 2006	World Cup 2009	World Cup 2011	World Cup 2013	Total	Total (%)
1 st period	49	73	96	74	69	361	29.37
2 nd period	51	94	80	104	76	405	32.95
3 rd period	64	118	104	88	89	463	37.68
Total	164	285	280	266	234	1229	100

The data on the table 3 show the results obtained in the Beach Soccer World Cups matches and the relationship between the first goal scored and the final result of the match. In 59.88% of matches (88 matches), the team that scored the first goal won

periods of game. A total of 1.229 goals were scored in the analyzed tournaments. Of this total, 361 goals were scored (29.37%) in the 1st period, 405 goals (32.95%) in the 2nd period and 463 goals (37.68%) in the 3rd period of the games.

the match; the match ended in a draw 15.75% of matches (24 matches) and the team that scored the first goal was defeated in 24.37% of matches (36 matches).

Table 2. Relationship between first goal scored and the final result of the match.

Final result of the match (%)	World Cup 2005	World Cup 2006	World Cup 2009	World Cup 2011	World Cup 2013	Average (%)
Win	65	71.88	59.38	43.75	59.38	59.88
Draw	10	12.5	12.5	25	18.75	15.75
Defeat	25	15.62	28.12	31.25	21.87	24.37

Discussion

Temporal analysis of goals scored

Analyzing the data in Table 1, most goals in FIFA World Cup Beach Soccer game were scored in the 3rd period (37.68%), showing a statistically significant difference compared to other periods. However, in this mode we did not find similar studies in the literature for comparison of results.

As well as other modalities of team sports invasion (such as futsal, basketball, handball, etc.), beach soccer has unlimited substitutions. An unlimited number of players replacements enables technicians to the constant rotation of these and, by extension, the possibility of keeping the intensity and high level of drives throughout the match [17-18-19-20]. Due to this specific feature of unlimited substitutions, we believe that the temporal occurrence of goals throughout the game should have a more linear distribution.

Thus, a possible explanation for these results may be an interaction between the physical, technical, tactical and psychological, highlighting mainly the physical factor and also the psychological.

In the study by Escobar et al. (2012), one of the variables studied was the anaerobic power. According to the results it ratified a predominantly anaerobic nature of the sport [20]. Castellano and Casamichana (2010) measured the heart rate (HR) amateur Spanish players of beach soccer and found that most of the time (59.3%) players are at a frequency >90% HRmax [13].

In his study, Scarfone et al. (2009) measured the heart rate (HR), the lactate concentration (LC) and the power performance (countermovement jump, CMJ) [10]. According to the results, match intensity showed differences for HR categories (p=0.001) and their interaction with match periods (F(8, 64)= 4.18; p=0.0005), and La values (p=0.03). A progressive decrease of occurrence toward the end of the match emerged for HR >85% (periods: first = 75%, second = 61%, third = 31%). A similar trend emerged for La values (periods: first = 8.7±4.0mmol.L-1; second = 6.7±3.8mmol.L-1; third=5.3±2.7mmol.L-1). With respect to pre-match condition (36.6±5.3cm), higher (p<0.004) CMJ performances were found at the end of the match periods (first = 39.5±6.5cm;

second = 40.9 ± 6.4 cm; third = 39.2 ± 6.0 cm).

It is important to mention the disadvantage imposed by the playing surface in beach soccer [18]. The sand reduces the maximum force and the maximum applied power, increasing the impact time and pulse [21-22]. This type of surface absorbs part of the applied energy, thus reducing the reaction force (Bishop, 2003), and this can lead to a lower maximum speed of motion due to the instability of sand [22-23].

Mentions that the act of running in the sand requires 1.6 times more energy expenditure compared to the race held on the track, supposedly a greater role request of the mechanical work of the muscles and tendons. According Green et al. (2001), the average energy expenditure among amateur runners was significantly lower in hard ground when compared to the amount earned in the sand (8.94×13.20 METs, p

<0.01), which could represent, respectively, an expense energy of approximately 10.4 calories and 15.4 calories per minute, considering the mean body mass of a 70 kg adult [24].

On average, a beach soccer athlete travels a distance of approximately 100 meters every minute of the game, being necessary, therefore, high speed and short recovery intervals with work ratio 1.4:1 (for every minute rest, there is 1.4 minutes of work) [10-13].

Based on the precepts of Bompa (2002) and McArdle, Katch, and Katch (2008), the anaerobic training, adopted short recovery intervals, has as a result of larger accumulation and resynthesis of ATP, amount of creatine phosphate (CP) and muscle glycogen, which can lead to an increase in resistance to fatigue [25-26]. According to Escobar et al. (2012), the body tends to reach steady-state that is the balance between cost and consumption and oxygen during the physical effort [20]. In predominantly aerobic exercises, the lactate can be used as energy source, the levels being held in equilibrium between its use and demand or even lower when reaching the steady state. However, when it comes to the predominantly anaerobic exercise training, with increasing exercise intensity, the lactate concentration tends to increase in an amount greater than the capacity of its removal performed by respiratory activity, leading to its accumulation in the bloodstream and in muscle cells [27-20].

Although the marked decrease in intensity of playing might indicate that players undergo fatigue (Mohr et al., 2003), it might be hypothesized that players tend to adopt tactical strategies to spare their energies throughout the match [10-28].

Regarding the appearance and psychological impact goals, according to Escobar et al. (2012), via unlimited substitutions the high level can maintained during the three periods of play [20]. Thus, the interpretation of results using only the

physical

performance of players seems to be the main explanation for this phenomenon. Considering that, with the unlimited substitutions, the level of performance can be assured with the exchange of players at each point of the game. So we can also suggest that the psychological aspect has importance in the results.

As the play draws to its end, the final minutes of the match appear to be a critical period of the match, in which the errors on the part of the players are more frequent, inducing greater number of goals [19]. According to Fukuda and Santana (2012), the final minutes is the time setting of the game, insofar as, according to the momentary result of the game, the attack scenarios may become sharpened and consequently can facilitate situations of counterattack [8]. According to Reilly (1997), it is possible that the losing team tends to guide its players to more advanced areas of the pitch in order to create more completion situations, giving higher probability of scoring and conceding goals [29].

Thus, it appears that the physical and mental state of the players due to the high intensity of the match in its final moments, seems to exert significant influence on the implementation of technical-tactical actions, thus, regardless of the momentary outcome of the match, the player's action includes a closer higher risk, as closer as it is from the end of the match [30].

Relationship between scoring the first goal and the final result of the match

According to the data of table 2, the team that scores the first goal in matches of Beach Soccer FIFA World Cups presents a high probability of achieving victory (average of approximately 60%).

According to Castillo-Rodríguez et al. (2007) football is evolving in order to outline the matches tactically, observing little variations in matches and few goals, which makes us see the importance of being the team to score the first goal, since in a high probability will be the team winning [31]. The tactic football evolution has been such that it is observed as the team goes ahead on the scoreboard in a few occasions draw and even less is defeated by the opposing team. As states Bloomfield et al. (2005) the start goal is influential in determining the match result [32].

The goal also appears to be an inducer factor of high psychological burden on the players (Álvarez- Medina et al., 2002), being a strong predictor of final result (Sampedro & Pietro, 2012) [17-33]. Roffé et al. (2007) states that in every analysis that has been done on the "psychological goal" (also called psychological moment) has been able to find relevant relationships with psychological variables both individual as of team [34]. Gayton et al. (1993) defines the psychological moment as the benefit obtained when you have an

initial success in a sporting context, which produces a ^{ARTICLE}

psychological moment in the sportsman that will lead to future success and that explains the yield variations in the teams and in their players[35].

Theis (1992) supported that when a team scored first goal, presents improvement in performance and increased self-confidence. Football coach should have his players prepared tactically and psychologically, in order to be ready to face getting back in score. Thus, training should include training matches with different number of players and time limit.

The mental aspect just seems to be the main factor associated with the influence of the first goal for the final result of the game, however, there are other factors (e.g. substitutions, expulsions, interval) that seem to influence the performance of the teams but with less relevance [34]. I.e., the team that can score the first goal of the game tends to improve its psychological aspect, maintaining or improving their performance, while the team that suffers the first goal suffers a decrease in psychological aspect, tending to reduce its performance in competition (Leite & Barreira, 2014). According to Roffé et al. (2007), the player can enter a "psychological crisis", during which their ability to meet the demands and needs of the competition can be substantially altered [14-34].

Thus, there is a high probability that the team who scores the first goal in the game to get the victory in the final result of the same. Regarding the characteristics that may explain the influence of the first goal for the final outcome of the match, all the aspects of the team sport must be present: physical, technical, tactical and the psychological. However, the psychological aspect seems to be the main aspect responsible for the victory of the team that scored the first goal [30].

In many team sports, such as beach soccer, competitions include the realization of consecutive days in games. Moreover, due to the current sporting situation increasingly focused on victories, glory, quest for resilience and the gestures perfect engines are assumed to consider the psychological aspect in the process of training and athlete preparation for competitions to be as relevant as the physical,

Conclusion

The beach soccer is an intermittent sport of very high intensity, whose physiological profile shows that more than half the time is spent at intensities

>90% of HRmax, thus requiring large amounts of energy through anaerobic system.

In collective sports games, the yield is associated with a union of physical, tactical, technical and psychological aspects. According to the results of this study it may suggest that the prevalence of goals in the 3rd period of the games is associated mainly to the combination of physical

and psychological factors. Regarding the influence of the first goal for the game results, it is believed that psychological aspect seems to interfere with highest importance.

However, experts say it is important that they be carried out specific research aimed at beach soccer. Fazolo et al. (2005) mentions that the transfer of technical, physical and tactical elements of similar sports may not be relevant to the Beach Soccer [5]. The measurement of the physical qualities of the athlete, the evaluative principles of performance should meet the sensitivity and specificity of sport. Thus, it is assumed that the use of specific protocols for evaluation in sandy soil is required to obtain the greater reliability of the results, providing the basis for the optimal prescription of training Beach Soccer athletes.

This more specific focus would increase our knowledge of beach soccer and help to improve training programs by developing their degree of specificity. Only thus will it be possible to apply knowledge of the sport's physical and physiological demands in a more detailed way [13].

References

1. L. Escobar, Identification and characterization of athletes' mood states of selection brazilian beach soccer during the brazilian championship, *Movement & perception*, 11 (2010) 107-119.
2. L. Escobar, F. Martins, B. Oliveira, J. Henrique, Comparison between aerobic tests conducted on different soils in sand soccer athletes, *EFDeportes*, (2011) 158.
3. P. Barbosa, Agroecosystems and conservation biological control, *Conservation Biological Control*, (1998) 39-54.
4. A. C. Pereira, D. E. Huddleston, A. M. Brickman, A. A. Sosunov, R. Hen, G. M. McKhann, R. Sloan, F. H. Gage, T. R. Brown, S. A. Small, An in vivo correlate of exercise-induced neurogenesis in the adult dentate gyrus, *Proceedings of the National Academy of Sciences of the United States of America*, 104 (2007) 5638-43.
5. E. Fazolo, P. G. Cardoso, W. Tuche, I. C. Menezes, M. E. S. Teixeira, M. N. D. Portal, R. M. A. Nunes, G. Costa, P. M. S. Dantas, J. F. Filho, A dermatoglia e a somatotipologia no alto rendimento do Beach Soccer - Seleção Brasileira, *Revista de Educação Física*, 130 (2005) 45-51.
6. R. Mina, E. von Scheven, S.P. Ardoin, B.A. Eberhard, M. Punaro, N. Ilowite, J. Hsu, M. Klein-Gitelman, L.N. Moorthy, E. Muscal, S.M. Radhakrishna, W.L. Weiner, M. Adams, P. Blier, L. Buckley, E. Chalom, G. Chédeville, A. Eichenfield, N. Fish, M. Henrickson, A.O. Hersh, R. Hollister, O. Jones, L. Jung, D. Levy, J. Lopez-Benitez, D. McCurdy, P.M. Miettunen, A.I. Quintero-del Rio, D. Rothman, O. Rullo, N. Ruth, L.E. Schanberg, E. Silverman, N.G. Singer, J. S oep, R. Syed, L.B. Vogler, A. Yalcindag,

- C. Yildirim-Toruner, C.A. Wallace, H.I. Brunner, Carra SLE Subcommittee, Consensus treatment plans for induction therapy of newly diagnosed proliferative lupus nephritis in juvenile systemic lupus erythematosus, *Arthritis Care & Research*, 64 (2012) 375-83.
7. J. Conception, Beach football in Europe. The importance of competing, *EFDeportes*, (2012) 174.
 8. J. Fukuda, W. Santana, goals scored in Futsal League matches, *Brazilian Journal of Futsal and Football*, 4 (2011) 62-66.
 9. E. Mombaerts (2000) Soccer: from the analysis of the game to the formation of the player, Barcelona.
 10. R. Scarfone, A. Tessitore, C. Minganti, A. Ferragina, L. Capranica, A. Ammendolia, Match demands of beach soccer: a case study. In: Book of abstracts of 14th Annual Congress of the European College of Sport Science, 54 (2009) Oslo-Norway.
 11. I. Sannicandro, D. Colella, R. Rosa, M. Morano, Countermovement jumping genre differences in soccer, *Journal of Sports Science and Medicine*, S 10 (2007) 169-174.
 12. Z. W. Zhi-hui, Hai-bo, LIU Shu-yuan, A Study on the Olympic Economy's Influence on the Commercial Sports Entertainment Market of Beijing, *Journal of Beijing Sport University*, 9 (2007) 1185-1186.
 13. J. Castellano, D. Casamichana, and C. Lago, The Use of Match Statistics that Discriminate Between Successful and Unsuccessful Soccer Teams, (2012) 139-147.
 14. W. Leite, D. Barreira, Are the Teams Sports Soccer, Futsal and Beach Soccer Similar? *International Journal of Sports Science*, 4 (2014) 75-84.
 15. D. Barreira, J. Garganta, P. Guimarães, J. Machado, M.T. Anguera, Ball recovery patterns as a performance indicator in elite soccer, Proceedings of the Institution of Mechanical Engineers, Part P: *Journal of Sports Engineering and Technology*, 228 (2014) 61-72.
 16. J.C. Machado, D. Barreira, J. Garganta, A influência do resultado momentâneo do jogo nos padrões de ataque em equipes de Futebol de elite, *Revista Brasileira de Cineantropometria e Desempenho Humano*, 16 (2014) 545-554.
 17. J. Álvarez-Medina, L. Giménez-Salillas, P. Corona-Virón, P. Manonelles-Marqueta, Cardiovascular and metabolic needs of futsal: analysis of the competition, *Performance and training*, 67 (2002) 45-51.
 18. J. Castellano, D. Casamichana, Heart Rate and Motion Analysis by GPS in Beach Soccer, *Journal of Sports Science and Medicine*, 9 (2010) 98-103.
 19. R. Dias, W. Santana, Time of goals scored in teams of different competitive levels in the futsal world cup, *EFDeportes*, 11 (2006) 101.
 20. L. Escobar, F. Martins, W. Manso, Anthropometry, body composition and anaerobic power indicators obtained with the Rast Test of athletes of the Brazilian beach soccer team, *EFDeportes*, 169 (2012).
 21. K. Barrett, M. Leptin, J. Settleman, The Rho GTPase and a putative RhoGEF mediate a signaling pathway for the cell shape changes in *Drosophila* gastrulation, *Cell*, 91 (1997) 905-915.
 22. G. Giatsis, I. Kollias, V. Panoutsakopoulos, G. Papaikakovou, Biomechanical differences in elite beach-volleyball players in vertical squat jump on rigid and sand surface, *Sports Biomechanics*, 3 (2004) 145-58.
 23. D. Bishop, Warm up I: potential mechanisms and the effects of passive warm up on exercise performance, *Sports Medicine*, 33 (2003) 439-54.
 24. D.J Green, K. Watts, S. Rankin, P. Wong, J.G. O'Driscoll, A comparison of the shuttle and 6 minute walking tests with measured peak oxygen consumption in patients with heart failure, *Journal of Science and Medicine in Sport*, 4 (2001) 292-300.
 25. T.O. Bompa, Periodização. Teoria e metodologia do treinamento, (2002) Guarulhos: Phorte editora, 4a edicao.
 26. W. McArdle, F. Katch, V. Katch, Fisiologia do exercício: energia, nutrição e desempenho humano, (2008) Rio de Janeiro: Guanabara Koogan.
 27. B.P. Gomes, E.T. Pinheiro, R.C. Jacinto, A.A. Zaia, C.C. Ferraz, F.J. Souza-Filho, Microbial analysis of canals of root-filled teeth with periapical lesions using polymerase chain reaction, *Journal of Endodontics*, 34 (2008) 537-40.
 28. M. Mohr, P. Krusturup, J. Bangsbo, Match performance of high-standard soccer players with special reference to development of fatigue, *Journal of Sports Sciences*, 21 (2003) 519-528.
 29. T. Reilly, Energetics of high-intensity exercise (soccer) with particular reference to fatigue, *Journal of Sports Sciences*, 15 (1997) 257-263.
 30. W.S.S. Leite, The impact of the first goal in the final result of the futsal match, *Annals of Applied Sport Science*, 1 (2013) 1-8.
 31. A. Castillo Rodríguez, D. Casamichana Gómez, J. García García, J. Schneider Tirado, J. Leiva Arjona, O. Caro Muñoz., Es importante marcar primero en un partido de fútbol? (2007) Málaga: Universidad de Málaga.
 32. J. Bloomfield, R. Polman, P. O'Donoghue, Effects of score-line on team strategies in FA Premier League Soccer, *Journal of Sports Science*, 23 (2005) 192-193.
 33. J. Sampedro, J. Prieto, El efecto de marcar primero y la ventaja de jugar en casa en la liga de fútbol y en la liga de fútbol sala de España, *Revista de Psicología del Deporte*, 21 (2012) 301-308.
 34. M. Roffé, R. De la Vega, A. Garcia-Mas, J. Llinás, J. Las crisis durante el juego: el "gol psicológico" en el fútbol, *Revista de Psicología del Deporte*, 16 (2007) 227-240.
 35. W.F. Gayton, M. Very, J. Hearn, Psychological

momentum in team sports, *Journal of Sport Behavior*, 16 (1993) 121-123.